

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)  
Issue date: 5/14/2026 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Grades : ISO 32, 46, and 68

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Hydraulic oil  
Restrictions on use : None known

#### 1.4. Supplier's details

##### Manufacturer

Pinnacle Oil Holdings, LLC.  
8175 Allison Ave.  
Indianapolis, IN 46268  
T 1-317-875-9465  
[sds@pinnoil.com](mailto:sds@pinnoil.com)

##### Distributed by:

Pinnacle Oil Holdings, LLC.  
8175 Allison Ave.  
Indianapolis, IN 46268

#### 1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)  
CCN 710885  
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. Label elements

##### GHS US labeling

No labeling applicable

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

#### 2.5. Unknown acute toxicity

No additional information available

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Distillates (petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	18.974 – 75.992	Not classified
Polymer*	CAS-No.: Trade Secret	1.8 – 8.1	Not classified
Distillates (petroleum), solvent-refined heavy	CAS-No.: 64741-88-4	0.469 – 5.651	Not classified
Solvent Naphtha (Petroleum), Heavy Aromatic	CAS-No.: 64742-94-5	0.131 – 0.218	Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2-Methylnaphthalene	CAS-No.: 91-57-6	0.044 – 0.087	Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
1-Methylnaphthalene	CAS-No.: 90-12-0	0.044 – 0.087	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
N-1-naphthylaniline	CAS-No.: 90-30-2	0.044 – 0.087	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Long-chain alkenyl amide	CAS-No.: 68478-81-9	0.044 – 0.087	Skin Irrit. 2, H315 Repr. 2, H361 STOT RE 2, H373
1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-	CAS-No.: 94270-86-7	0.009 – 0.026	Not classified
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	CAS-No.: 72623-86-0	0.009 – 0.026	Asp. Tox. 1, H304
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1	0.004 – 0.009	Acute Tox. 4 (Oral), H302 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures general	: First Aid Provider: Pay attention to self protection. If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or waterspray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Thermal decomposition generates: Carbon oxides (CO, CO <sub>2</sub> ).

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Move containers from fire area if it can be done without personal risk. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all personal contact including breathing in the mist, spray, vapors, Fume. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
------------------	--

#### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Prevent other non-emergency personnel from entering the danger area.

#### For emergency responders

Protective equipment	: Wear recommended personal protective equipment.
----------------------	---

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Emergency procedures : Evacuate area. Stop leak if safe to do so. Eliminate ignition sources. Ventilate spillage area. Prevent runoff from entering drains, sewers or waterways.

Environmental precautions : Avoid release to the environment.

### 6.2. Methods and materials for containment and cleaning up

For containment : Contain with non-combustible inert absorbent.

Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Decontaminate surfaces and equipment with water and detergent.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13: "Disposal considerations".

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing fume, mist, spray, vapors. Avoid contact with eyes, skin and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Protect from sunlight. Keep away from heat.

Incompatible materials : Oxidizing agents.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

##### USA - ACGIH® - Threshold Limit Values

Local name	Mineral oil, excluding metal working fluids Pure, highly and severely refined
ACGIH® TLV® TWA	5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH®)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025

#### 2-Methylnaphthalene (91-57-6)

##### USA - ACGIH® - Threshold Limit Values

Local name	2-Methyl naphthalene
ACGIH® TLV® TWA	0.3 mg/m <sup>3</sup> 0.05 ppm 700 µg/100cm <sup>2</sup> (SL - Surface limit)
Remark (ACGIH®)	TLV® Basis: URT irr; lung dam; liver eff. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 1-Methylnaphthalene (90-12-0)

#### USA - ACGIH® - Threshold Limit Values

Local name	1-Methyl naphthalene
ACGIH® TLV® TWA	0.3 mg/m <sup>3</sup> 0.05 ppm 700 µg/100cm <sup>2</sup> (SL - Surface limit)
Remark (ACGIH®)	TLV® Basis: URT irr; lung dam; liver eff. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Wear eye protection

#### Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Wear suitable protective clothing

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Light yellow Clear Bright
Odor	: No data available
Odor threshold	: No data available

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 195 °C / 383 °F
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.85 – 0.87
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 28.8 – 74.8 mm <sup>2</sup> /s 40 °C / 104 °F, ASTM D445
Explosion limits	: No data available
Particle characteristics	: No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Incompatible materials. Keep away from heat. Protect from sunlight.

### 10.5. Incompatible materials

Oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Distillates (petroleum), hydrotreated heavy paraffinic

LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg body weight

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

<b>Distillates (petroleum), solvent-refined heavy</b>	
LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight
LC50 Inhalation - Rat	> 5530 mg/m <sup>3</sup>
<b>Solvent Naphtha (Petroleum), Heavy Aromatic</b>	
LD50 dermal rat	> 2000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight
<b>2-Methylnaphthalene</b>	
LD50 oral rat	1630 mg/kg
<b>1-Methylnaphthalene</b>	
LD50 oral rat	1840 mg/kg
<b>N-1-naphthylaniline</b>	
LD50 oral rat	≈ 1625 mg/kg body weight
LD50 oral	1625 mg/kg
LD50 dermal rabbit	> 5000 mg/kg body weight
LD50 dermal	5000 mg/kg
<b>Long-chain alkenyl amide</b>	
LD50 oral rat	> 2000 mg/kg body weight
<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b>	
LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight
<b>Methyl-1H-benzotriazole</b>	
LD50 oral rat	≈ 720 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
<b>Solvent Naphtha (Petroleum), Heavy Aromatic</b>	
NOAEL (animal/male, F0/P)	35 mg/kg body weight
NOAEL (animal/female, F0/P)	125 mg/kg body weight
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	
LOAEL (oral,rat,90 days)	125 mg/kg body weight
NOAEC (inhalation,rat,dust/mist/fume,90 days)	> 0.98 mg/l air
<b>Distillates (petroleum), solvent-refined heavy</b>	
LOAEL (oral,rat,90 days)	125 mg/kg body weight
NOAEC (inhalation,rat,dust/mist/fume,90 days)	> 0.98 mg/l air
<b>Solvent Naphtha (Petroleum), Heavy Aromatic</b>	
LOAEC (inhalation,rat,vapor,90 days)	4.71 mg/l air
NOAEC (inhalation,rat,vapor,90 days)	2.355 mg/l air
<b>N-1-naphthylaniline</b>	
LOAEL (oral,rat,90 days)	5 mg/kg body weight
NOAEL (oral,rat,90 days)	5 mg/kg bw/day
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
<b>Long-chain alkenyl amide</b>	
NOAEL (oral,rat,90 days)	75 mg/kg body weight
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b>	
LOAEL (oral,rat,90 days)	125 mg/kg body weight
NOAEC (inhalation,rat,dust/mist/fume,90 days)	> 0.98 mg/l air
<b>Methyl-1H-benzotriazole</b>	
NOAEL (oral,rat,90 days)	≈ 150 mg/kg body weight

Aspiration hazard : Not classified

<b>NATIONAL Zinc free multi-viscosity hydraulic oils</b>	
Viscosity, kinematic	28.8 – 74.8 mm <sup>2</sup> /s 40 °C / 104 °F, ASTM D445
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 96h - Algae [1]	> 1000 mg/l
<b>Solvent Naphtha (Petroleum), Heavy Aromatic</b>	
LC50 - Fish [1]	2 – 5 mg/l
EC50 - Crustacea [1]	3 – 1 mg/l
LC50 - Fish [2]	6.1 mg/l
<b>2-Methylnaphthalene</b>	
LC50 - Fish [1]	1.46 mg/l
EC50 - Crustacea [1]	1.4 – 5 mg/l
<b>1-Methylnaphthalene</b>	
LC50 - Fish [1]	9 mg/l
EC50 - Crustacea [1]	8.2 mg/l
<b>N-1-naphthylaniline</b>	
LC50 - Fish [1]	0.44 mg/l
EC50 - Crustacea [1]	0.3 mg/l
EC50 96h - Algae [1]	0.93 mg/l
EC50 96h - Algae [2]	0.34 mg/l
ErC50 algae	0.034 mg/l
LOEC (chronic)	0.1 mg/l
NOEC chronic crustacea	0.032 mg/l
NOEC chronic algae	0.0036 mg/l
<b>Long-chain alkenyl amide</b>	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 72h - Algae [1]	496 mg/l
EC50 72h - Algae [2]	370 mg/l
<b>Methyl-1H-benzotriazole</b>	
LC50 - Fish [1]	55 mg/l
EC50 - Other aquatic organisms [1]	15.8 mg/l
EC50 - Other aquatic organisms [2]	8.58 mg/l
EC50 72h - Algae [1]	53 mg/l
LOEC (chronic)	37.6 mg/l
NOEC (chronic)	18.4 mg/l

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 12.2. Persistence and degradability

#### NATIONAL Zinc free multi-viscosity hydraulic oils

Persistence and degradability	Not established.
-------------------------------	------------------

#### Distillates (petroleum), hydrotreated heavy paraffinic

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Distillates (petroleum), solvent-refined heavy

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Polymer

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Solvent Naphtha (Petroleum), Heavy Aromatic

Persistence and degradability	% biodegradation 28 days.
-------------------------------	---------------------------

#### 2-Methylnaphthalene

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### 1-Methylnaphthalene

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### N-1-naphthylaniline

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Long-chain alkenyl amide

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### Methyl-1H-benzotriazole

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### 12.3. Bioaccumulative potential

#### Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient n-octanol/water (Log Pow)	3.9 – 6
---	---------

#### N-1-naphthylaniline

Partition coefficient n-octanol/water (Log Pow)	4.28
---	------

### 12.4. Mobility in soil

#### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Mobility in soil	140400
------------------	--------

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 12.5. Other adverse effects

Ozone : Not classified  
Fluorinated greenhouse gases : No

### SECTION 13 Disposal considerations

Regional waste regulation : Dispose of in accordance with applicable federal, state, and local regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Do not re-use empty containers.  
Ecological waste information : Avoid release to the environment.

### SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
	Not regulated	
No supplementary information available		

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

**DOT**  
Not regulated

**IMDG**  
Not regulated

**IATA**  
Not regulated

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### SECTION 15 Regulatory information

#### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

##### CANADA

##### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Distillates (petroleum), solvent-refined heavy (64741-88-4)

Listed on the Canadian DSL (Domestic Substances List)

##### Solvent Naphtha (Petroleum), Heavy Aromatic (64742-94-5)

Listed on the Canadian DSL (Domestic Substances List)

##### 2-Methylnaphthalene (91-57-6)

Listed on the Canadian DSL (Domestic Substances List)

##### 1-Methylnaphthalene (90-12-0)

Listed on the Canadian DSL (Domestic Substances List)

##### N-1-naphthylaniline (90-30-2)

Listed on the Canadian DSL (Domestic Substances List)

##### Long-chain alkenyl amide (68478-81-9)

Listed on the Canadian DSL (Domestic Substances List)

##### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl- (94270-86-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on the Canadian DSL (Domestic Substances List)

##### Methyl-1H-benzotriazole (29385-43-1)

Listed on the Canadian DSL (Domestic Substances List)

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### EU-Regulations

No additional information available

### National regulations

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Distillates (petroleum), solvent-refined heavy (64741-88-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Solvent Naphtha (Petroleum), Heavy Aromatic (64742-94-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 2-Methylnaphthalene (91-57-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### N-1-naphthylaniline (90-30-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Methyl-1H-benzotriazole (29385-43-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
2-Methylnaphthalene(91-57-6)	U.S. - New Jersey - Right to Know Hazardous Substance List
1-Methylnaphthalene(90-12-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 5/14/2026

### Full text of hazard classes and H-statements

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways

# NATIONAL Zinc free Multi-Viscosity hydraulic oils

## Safety Data Sheet


According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.