

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 5/14/2026 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : MV ATF FE SYN

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Automatic Transmission Fluid
Restrictions on use : None known

1.4. Supplier's details

Manufacturer

Pinnacle Oil Holdings, LLC.
8175 Allison Ave.
Indianapolis, IN 46268
T 1-317-875-9465
sds@pinnoil.com

Distributed by:

Pinnacle Oil Holdings, LLC.
8175 Allison Ave.
Indianapolis, IN 46268

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)
CCN 710885
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Reproductive toxicity, Category 2	H361	Suspected of damaging the unborn child.
Full text of H statements : see section 16		

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
Hazard statements (GHS US) : H315 - Causes skin irritation
H319 - Causes serious eye irritation
H361 - Suspected of damaging the unborn child.
Precautionary statements (GHS US) : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash hands, forearms and face thoroughly after handling.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Wear protective gloves, protective clothing, eye and face protection.

If on skin: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Distillates (petroleum), solvent-refined heavy	CAS-No.: 64741-88-4	50 – 56.48	Not classified
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	CAS-No.: 72623-87-1	29.7 – 38.98	Not classified
Distillates (petroleum), hydrotreated light paraffinic	CAS-No.: 64742-55-8	4.62 – 13.1	Not classified
Tris(2-ethylhexyl) borate	CAS-No.: 2467-13-2	0.55 – 1.1	Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Alkyl acetamide	CAS-No.: Trade Secret	0.55 – 1.034	Skin Corr. 1B, H314
Calcium sulfonate	CAS-No.: Trade Secret	0.11 – 0.55	Skin Sens. 1B, H317
Long chain hydroxyalkylamine	CAS-No.: Trade Secret	0.11 – 0.55	Not classified
Dibutylhydrogen phosphite	CAS-No.: 1809-19-4	0.11 – 0.55	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1	0.011 – 0.11	Acute Tox. 4 (Oral), H302 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS US classification
Phosphonic acid, dimethyl ester, polymer with alkyl diols	CAS-No.: Trade Secret	0.011 – 0.11	Repr. 2, H361 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Distillates (petroleum), hydrotreated light naphthenic	CAS-No.: 64742-53-6	0.009 – 0.012	Asp. Tox. 1, H304
2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar"-Me derivs.	CAS-No.: 92257-31-3	0.006 – 0.008	Aquatic Chronic 4, H413

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but, not mouth-to-mouth. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause irritation to skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
Chronic symptoms	: Suspected of damaging fertility.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: IF exposed: Call a POISON CENTER or doctor/physician.
-----------------------------------	---

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , alcohol-resistant foam or waterspray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Metal oxides. Sulfur oxides.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter without an appropriate protective equipment. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all personal contact including breathing in the mist, spray, vapors. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
- For non-emergency personnel**
- Emergency procedures : Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Prevent other non-emergency personnel from entering the danger area.
- For emergency responders**
- Protective equipment : Wear the recommended personal protective equipment. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate personnel to a safe area. Do not touch or walk on the spilled product. Ventilate area.
- Environmental precautions : Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

- For containment : Contain with non-combustible inert absorbent. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak if safe to do so.
- Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Contaminated absorbent material may pose the same hazard as the spill product. Decontaminate surfaces and equipment with water. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13: "Disposal considerations".

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing mist, spray, vapors. Take precautionary measures against static discharge.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including incompatibilities

- Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Keep container closed when not in use.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Incompatible materials : Strong oxidizing agents.
Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

USA - ACGIH® - Threshold Limit Values

ACGIH® TLV® TWA	5 mg/m ³ 8 hours. Form: Inhalable fraction
ACGIH® TLV® STEL	10 mg/m ³ as oil mist in generated

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	5 mg/m ³ 8 hours
--------------	-----------------------------

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	5 mg/m ³ 10 hours. Form: Mist
NIOSH REL STEL	10 mg/m ³ 15 minutes. Form: Mist

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Red Clear Bright
Odor	: Mild Petroleum
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 204 °C / 399.2 °F
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 29 mm ² /s 40 °C / 104 °F, ASTM D445
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon monoxide. Carbon dioxide. Metal oxides. Sulfur oxides.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based

LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l/4h

Distillates (petroleum), solvent-refined heavy

LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight
LC50 Inhalation - Rat	> 5530 mg/m ³

Distillates (petroleum), hydrotreated light naphthenic

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar"-Me derivs.

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

Distillates (petroleum), hydrotreated light paraffinic

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

Tris(2-ethylhexyl) borate

LD50 oral rat	> 2000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight

Dibutylhydrogen phosphite

LD50 oral rat	> 3000 mg/kg body weight
LD50 oral	3200 mg/kg
LD50 dermal rat	2000 mg/kg
LD50 dermal rabbit	≈ 5000 mg/kg body weight
LD50 dermal	1974 mg/kg

Methyl-1H-benzotriazole

LD50 oral rat	≈ 720 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Dibutylhydrogen phosphite	
NOAEL (chronic,oral,animal/male,2 years)	≈ 348 mg/kg body weight
NOAEL (chronic,oral,animal/female,2 years)	450 mg/kg body weight

Reproductive toxicity : Suspected of damaging the unborn child.

Dibutylhydrogen phosphite	
LOAEL (animal/male, F0/P)	375 mg/kg body weight
LOAEL (animal/female, F1)	≈ 300 mg/kg body weight
NOAEL (animal/male, F0/P)	190 mg/kg body weight
NOAEL (animal/female, F0/P)	≈ 5000 mg/kg body weight

STOT-single exposure : Not classified

Phosphonic acid, dimethyl ester, polymer with alkyl diols	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air

Distillates (petroleum), solvent-refined heavy	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air

Distillates (petroleum), hydrotreated light naphthenic	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air

Distillates (petroleum), hydrotreated light paraffinic	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air

Tris(2-ethylhexyl) borate	
NOAEL (oral, rat, 90 days)	450 mg/kg body weight

Dibutylhydrogen phosphite	
LOAEC (inhalation, rat, vapor, 90 days)	1.3 mg/l air
NOAEL (oral, rat, 90 days)	500 mg/kg body weight

Methyl-1H-benzotriazole	
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg body weight

Aspiration hazard : Not classified

MV ATF FE SYN	
Viscosity, kinematic	> 29 mm ² /s 40 °C / 104 °F, ASTM D445
Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause irritation to skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
Chronic symptoms	: Suspected of damaging fertility.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Alkyl acetamide	
EC50 - Crustacea [1]	180 mg/l
NOEC chronic crustacea	56 mg/l
Tris(2-ethylhexyl) borate	
LC50 - Fish [1]	21.17 g/l
EC50 - Crustacea [1]	2.6 mg/l
EC50 72h - Algae [1]	9 mg/l
Dibutylhydrogen phosphite	
LC50 - Fish [1]	> 63.4 mg/l
EC50 72h - Algae [1]	≈ 14.4 mg/l
EC50 72h - Algae [2]	≈ 8.9 mg/l
NOEC (chronic)	≈ 4.1 mg/l
Methyl-1H-benzotriazole	
LC50 - Fish [1]	55 mg/l
EC50 - Other aquatic organisms [1]	15.8 mg/l
EC50 - Other aquatic organisms [2]	8.58 mg/l
EC50 72h - Algae [1]	53 mg/l
LOEC (chronic)	37.6 mg/l
NOEC (chronic)	18.4 mg/l
Phosphonic acid, dimethyl ester, polymer with alkyl diols	
LC50 - Fish [1]	> 87 mg/l
EC50 - Crustacea [1]	71 mg/l
EC50 72h - Algae [1]	40 mg/l
NOEC chronic algae	6.1 mg/l

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

12.2. Persistence and degradability

MV ATF FE SYN

Persistence and degradability	Not established.
-------------------------------	------------------

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Distillates (petroleum), solvent-refined heavy

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Distillates (petroleum), hydrotreated light naphthenic

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar"-Me derivs.

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Distillates (petroleum), hydrotreated light paraffinic

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Alkyl acetamide

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Biodegradation	72 % 28d
----------------	----------

Tris(2-ethylhexyl) borate

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Calcium sulfonate

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Long chain hydroxyalkylamine

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Dibutylhydrogen phosphite

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Methyl-1H-benzotriazole

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Phosphonic acid, dimethyl ester, polymer with alkyl diols

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar"-Me derivs.

Partition coefficient n-octanol/water (Log Pow)	> 6.5
---	-------

Alkyl acetamide

Partition coefficient n-octanol/water (Log Kow)	6.01
---	------

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Tris(2-ethylhexyl) borate	
Partition coefficient n-octanol/water (Log Pow)	8.19
Dibutylhydrogen phosphite	
Partition coefficient n-octanol/water (Log Pow)	1.81
Phosphonic acid, dimethyl ester, polymer with alkyl diols	
Partition coefficient n-octanol/water (Log Kow)	1.02 – 4.65

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Refer to all applicable national, international and local regulations or provisions. Dispose in a safe manner in accordance with local/national regulations.
Additional information : Do not re-use empty containers.
Ecological waste information : Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
	Not regulated	
No supplementary information available		

14.6. Transport in bulk

Not applicable

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar"-Me derivs.

CAS-No. 92257-31-3

0.006 – 0.008%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based (72623-87-1)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), solvent-refined heavy (64741-88-4)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

Listed on the Canadian DSL (Domestic Substances List)

Tris(2-ethylhexyl) borate (2467-13-2)

Listed on the Canadian DSL (Domestic Substances List)

Dibutylhydrogen phosphite (1809-19-4)

Listed on the Canadian DSL (Domestic Substances List)

Methyl-1H-benzotriazole (29385-43-1)

Listed on the Canadian DSL (Domestic Substances List)

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

EU-Regulations

No additional information available

National regulations

Distillates (petroleum), solvent-refined heavy (64741-88-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Dibutylhydrogen phosphite (1809-19-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Methyl-1H-benzotriazole (29385-43-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Distillates (petroleum), hydrotreated light naphthenic(64742-53-6)	U.S. - Massachusetts - Right To Know List
Distillates (petroleum), hydrotreated light paraffinic(64742-55-8)	U.S. - Massachusetts - Right To Know List
Dibutylhydrogen phosphite(1809-19-4)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 5/14/2026

Full text of hazard classes and H-statements	
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H402	Harmful to aquatic life

NATIONAL FE Multivehicle ATF

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.