

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date: 5/14/2026 Revision date: 7/30/2026 Supersedes: 5/14/2026 Version: 2.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : SAE 0W-20, SAE 5W-30

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Engine oil
Restrictions on use : None known

1.4. Supplier's details

Manufacturer

Pinnacle Oil Holdings, LLC.
8175 Allison Ave.
Indianapolis, IN 46268
T 1-317-875-9465
sds@pinnoil.com

Distributed by:

Pinnacle Oil Holdings, LLC.
8175 Allison Ave.
Indianapolis, IN 46268

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)
CCN 710885
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Reproductive toxicity, Category 2 H361 Suspected of damaging fertility.
Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
Hazard statements (GHS US) : H361 - Suspected of damaging fertility.
Precautionary statements (GHS US) : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, eye protection.
If exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	CAS-No.: 72623-86-0	56 – 85.8	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic	CAS-No.: 64742-55-8	16.886 – 43.33	Not classified
Petroleum distillates, solvent dewaxed heavy	CAS-No.: 64742-65-0	16.886 – 43.33	Not classified
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	CAS-No.: 72623-87-1	≤ 30.4	Not classified
Bis(nonylphenyl)amine	CAS-No.: 36878-20-3	0.86 – 1.72	Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phosphorodithioic acid, O,O-diisooctyl ester, zinc	CAS-No.: 28629-66-5	0.657	Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Succinic anhydride, octadecenyl	CAS-No.: 28777-98-2	0.086 – 0.43	Aquatic Chronic 4, H413
Distillates (petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	0.086 – 0.43	Not classified
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	CAS-No.: 2215-35-2	0.105	Aquatic Acute 3, H402 Aquatic Chronic 3, H412

Comments : The concentration ranges are provided due to batch-to-batch variability.

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: First Aid Provider: Pay attention to self protection. If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

Chronic symptoms : Suspected of damaging fertility.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, alcohol-resistant foam or waterspray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Thermal decomposition generates: Carbon oxides (CO, CO₂).

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Move containers from fire area if it can be done without personal risk. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all personal contact including breathing in the mist, spray, vapors, Fume. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Prevent other non-emergency personnel from entering the danger area.

For emergency responders

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Stop leak if safe to do so. Eliminate ignition sources. Ventilate spillage area. Prevent runoff from entering drains, sewers or waterways.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Contain with non-combustible inert absorbent.
Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Decontaminate surfaces and equipment with water and detergent.
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13: "Disposal considerations".

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing fume, mist, spray, vapors. Avoid contact with eyes, skin and clothing.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Protect from sunlight. Keep away from heat.
Incompatible materials : Oxidizing agents.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

USA - ACGIH® - Threshold Limit Values

Local name	Mineral oil, excluding metal working fluids Pure, highly and severely refined
ACGIH® TLV® TWA	5 mg/m³ (I - Inhalable particulate matter)
Remark (ACGIH®)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2026

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Handle in accordance with good industrial hygiene and safety procedures. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Hand protection:

Wear protective gloves.

Eye protection:

Wear eye protection

Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Amber Clear Bright
Odor	: Mild Petroleum
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 220 °C / 428 °F
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.84 – 0.85
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 45 mm²/s 40 °C / 104 °F, ASTM D445
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials. Keep away from heat. Protect from sunlight.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon oxides (CO, CO₂).

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

LD50 dermal rat	> 2000 mg/kg body weight
-----------------	--------------------------

Bis(nonylphenyl)amine

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

Phosphorodithioic acid, O,O-diisooctyl ester, zinc

LD50 oral rat	≈ 3200 mg/kg body weight
---------------	--------------------------

LD50 dermal rabbit	> 5000 mg/kg body weight
--------------------	--------------------------

Distillates (petroleum), hydrotreated light paraffinic

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

Distillates (petroleum), hydrotreated heavy paraffinic

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

LD50 dermal rabbit	> 5000 mg/kg body weight
--------------------	--------------------------

Petroleum distillates, solvent dewaxed heavy

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

LD50 oral	5000 mg/kg
-----------	------------

LD50 dermal rabbit	> 5000 mg/kg body weight
--------------------	--------------------------

LC50 Inhalation - Rat	> 5.53 mg/l/4h
-----------------------	----------------

LC50 Inhalation - Rat (Dust/Mist)	2.18 mg/l
-----------------------------------	-----------

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	
LD50 oral rat	2230 mg/kg body weight
LD50 dermal rabbit	> 3160 mg/kg body weight
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	
LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility.
Bis(nonylphenyl)amine	
Additional information	Based on read-across data
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air
Distillates (petroleum), hydrotreated light paraffinic	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air
Distillates (petroleum), hydrotreated heavy paraffinic	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air
Petroleum distillates, solvent dewaxed heavy	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	
NOAEL (oral, rat, 90 days)	160 mg/kg body weight
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air
Aspiration hazard	: Not classified

NATIONAL dexos™1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

NATIONAL dexos™1 Gen 3	
Viscosity, kinematic	> 45 mm²/s 40 °C / 104 °F, ASTM D445
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
Chronic symptoms	: Suspected of damaging fertility.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects

Bis(nonylphenyl)amine	
LC50 - Fish [1]	> 0.0013 mg/l
EC50 - Crustacea [1]	> 100 mg/l
Phosphorodithioic acid, O,O-diisooctyl ester, zinc	
LC50 - Fish [1]	46 mg/l
LC50 - Fish [2]	46 mg/l
Distillates (petroleum), hydrotreated heavy paraffinic	
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 96h - Algae [1]	> 1000 mg/l
Petroleum distillates, solvent dewaxed heavy	
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 96h - Algae [1]	> 1000 mg/l
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	
LC50 - Fish [1]	46 mg/l
LC50 - Fish [2]	46 mg/l

12.2. Persistence and degradability

NATIONAL dexos™1 Gen 3	
Persistence and degradability	Not established.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	
Persistence and degradability	Not rapidly degradable

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Bis(nonylphenyl)amine	
Persistence and degradability	Not rapidly degradable
Phosphorodithioic acid, O,O-diisooctyl ester, zinc	
Persistence and degradability	Not rapidly degradable
Distillates (petroleum), hydrotreated light paraffinic	
Persistence and degradability	Not rapidly degradable
Succinic anhydride, octadecenyl	
Persistence and degradability	Not rapidly degradable
Distillates (petroleum), hydrotreated heavy paraffinic	
Persistence and degradability	Not rapidly degradable
Petroleum distillates, solvent dewaxed heavy	
Persistence and degradability	Not rapidly degradable
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	
Persistence and degradability	Not rapidly degradable
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Succinic anhydride, octadecenyl	
Partition coefficient n-octanol/water (Log Pow)	9.44
Distillates (petroleum), hydrotreated heavy paraffinic	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6
Petroleum distillates, solvent dewaxed heavy	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	
Partition coefficient n-octanol/water (Log Pow)	2.21

12.4. Mobility in soil

Bis(nonylphenyl)amine	
Mobility in soil	35900000

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation : Dispose of in accordance with applicable federal, state, and local regulations.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
	Not regulated	
No supplementary information available		

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

15.2. International regulations

CANADA

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on the Canadian DSL (Domestic Substances List)

Bis(nonylphenyl)amine (36878-20-3)

Listed on the Canadian DSL (Domestic Substances List)

Phosphorodithioic acid, O,O-diisooctyl ester, zinc (28629-66-5)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

Listed on the Canadian DSL (Domestic Substances List)

Succinic anhydride, octadecenyl (28777-98-2)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

Petroleum distillates, solvent dewaxed heavy (64742-65-0)

Listed on the Canadian DSL (Domestic Substances List)

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (2215-35-2)

Listed on the Canadian DSL (Domestic Substances List)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based (72623-87-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Succinic anhydride, octadecenyl (28777-98-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

NATIONAL dexos™ 1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Petroleum distillates, solvent dewaxed heavy (64742-65-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Distillates (petroleum), hydrotreated light paraffinic(64742-55-8)	U.S. - Massachusetts - Right To Know List

SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 7/30/2026

Issue date : 5/14/2026


Full text of hazard classes and H-statements

H304	May be fatal if swallowed and enters airways
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Indication of changes:

Section	Changed item	Comments
2	Hazard statements (GHS US)	Added
2	Precautionary statements (GHS US)	Added
2	Signal word (GHS US)	Added
2	Hazard pictograms (GHS US)	Added
2.1	GHS-US classification	Added
4	Chronic symptoms	Added

NATIONAL dexos™1 Gen 3 Premium Full Synthetic Engine Oils

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

7.1	Precautions for safe handling	Added
-----	-------------------------------	-------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.